

To: Barker, Justin[barker.justin@epa.gov]; Gieseke, Andrew[Gieseke.Andrew@epa.gov]
From: Mahler, Tom
Sent: Thur 2/18/2016 5:10:52 AM
Subject: FW: Revised Work Plan for Non-Combustible Cover
NCC Work Plan REV 2-12-16 - Final.pdf
Cover Hasp 20160208.pdf

Just realized I never forwarded this to you guys.

We should get in here and review the newly submitted work plan relatively soon.

Tom

From: Paul Rosasco [mailto:paulrosasco@emsidenver.com]
Sent: Friday, February 12, 2016 6:06 PM
To: Mahler, Tom <mahler.tom@epa.gov>; Vann, Bradley <Vann.Bradley@epa.gov>; Juett, Lynn <Juett.Lynn@epa.gov>; 'Seabaugh, Ryan' <ryan.seabaugh@dnr.mo.gov>
Cc: McGahren, John <jmcgahren@morganlewis.com>; Feingold, Stephanie R. <sfeingold@morganlewis.com>; 'Guariglia, Dale' <daguariglia@BryanCave.com>; Russell R. Eggert <REggert@LATHROPGAGE.COM>; Johnson, Nicholas R. (LG) <NJohnson@LATHROPGAGE.COM>; 'Beck, Bill (LG)' <WBeck@LATHROPGAGE.COM>; Merrigan, Jessie <JMerrigan@LathropGage.com>; 'Warren, Victoria' <VWarren@republicservices.com>; Fanning, Erin <EFanning@republicservices.com>; Dan Feezor <dfeezor@feezorengineering.com>; 'Mike Bollenbacher' <mikeb@auxier.com>; 'Cecilia Greene' <cgreene@auxier.com>; Bob Jelinek <bobjelinek@emsidenver.com>
Subject: Revised Work Plan for Non-Combustible Cover

Tom,

Attached is a revised Work Plan for the Removal Action – Non-Combustible Cover project. The work plan has been revised to address EPA's comments provided on January 29, 2016 on the prior (January 4, 2016) submittal. Also attached is a revised Health and Safety Plan that has been modified to address EPA's comments. Because EPA did not have any comments on the Sampling and Analysis Plan, Radiation Safety Plan, or the Quality Management Plan, I have not included those documents with this submittal as the versions that were previously provided to EPA on January 4, 2016 remain unchanged.

We received your e-mail this morning providing conditional approval of the work plan based on the responses to the four comments identified in EPA's January 29, 2016 that we submitted to you on February 9, 2016. EPA's conditional approval included additional comments, in particular a comment related to ARARs, that your e-mail indicated should be addressed in the next submittal of the work plan. Unfortunately, we had already obtained client approval and were in the process of preparing the final version of the work plan that is attached to this e-mail before we received your e-mail. Due to the short time available today and the fact that it is Friday at the start of a long holiday weekend, we could not address the additional comment related to ARARs in this submittal. I will contact you next week to discuss how to proceed relative to the ARARs comment.

Thank-you and have a great weekend.

Paul V. Rosasco P.E.

Engineering Management Support, Inc.

7220 West Jefferson Avenue, Suite 406

Lakewood, CO 80235

Office (303) 940-3426 ext. 5

Mobile (303) 808-7227

paulrosasco@emsidenver.com

<p>This email has been sent from a virus-free computer protected by Avast. www.avast.com</p>
